

Sample code Report number	893-2023-00048970 RA-2023-ZV-183217-1	Report date	15/06/2023	Page 1/4
		In order of For the attention of Address City Country E-mail	AGRORUM S.A. <i>I. García</i> Av. San Jorge # 205 y calle 2da. Oeste 090150 GUAYAQUIL ECUADOR operacionesecuador@agrorum.net	
Sample code Sample client code Sample description	893-2023-00048970 UIO-23-0448 CANECA BLANCA DE 10 L CON ETIQUETA DISTINTIVA MICROFIX PLUS, LOTE 001 03005052023, PRODUCTOR: AGROMEJORA, LUGAR: FABRICA, DE LOS CONQUISTADORES OE6-170 Y EL RODAL, QUITO-PIFO, FMUESTREO: 24/05/2023, MUESTREADOR: SANTIAGO GUERRA	Sample type	EX	
Date of reception Analyses requested Matrix Grower	07/06/2023 ZVE0L, ZVP91, ZVP92, ZVRSM Unclean water SANTIAGO GUERRA, DE LOS CONQUISTADORES OE6-170 Y EL RODAL, QUITO-ECUADOR	Date of starting the analysis	08/06/2023	
		Date of sample taking Sampler	unknown Client (extern)	

The analyzed pesticides are documented on DRF-133 version 15 valid from 28-12-20.

ZVP91 - ZV - Quantitative multi pesticide screening GC-MSMS - W3201/WVS-092 + W3101/WVS-060

No parameters at a content above the reporting limit were detected.

ZVP92 - ZV - Quantitative multi pesticide screening LC-MSMS - W3301/WVS-040 + W3101/WVS-060

No parameters at a content above the reporting limit were detected.

Graauw 15/06/2023



Niels Martha
(Managing Director)

Explanatory Note

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code	893-2023-00048970	Report date	15/06/2023	Page	2/4
Report number	RA-2023-ZV-183217-1				

Analysis1: Quantitative multi pesticide screening GC-MSMS(Pesticide multi method, extraction with acetone, petroleumether and dichloromethane. Adjusted own method (W3101/WVS-060, W3201/WVS-092), GC-MS)

Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg
1,4-dimethylnaphthalene	0.01	Cyprodinil	0.01	Fenofos	0.01	Phenothrin	0.02				
1-Naphthylacetamide	0.05	DDD, o,p-	0.01	Formothion	0.01	Phenthoothate	0.01				
2,6-Dichlorobenzamide	0.01	DDE, o,p-	0.01	Fosmet	0.01	Phosalone	0.01				
2-Phenylphenol	0.01	DDT, p,p'	0.01	Fosthietan	0.01	Phosfolan	0.02				
4,4-DDD + 2,4 -DDT	0.01	Deltamethrin	0.01	Fuberidazole	0.01	Phthalimide (PI)	0.01				
4,4-DDE	0.01	Demeton-O	0.01	Furalvalyl	0.01	Picoxystrobin	0.01				
Acetochlor	0.01	Demeton-S	0.01	Helfenprox	0.01	Piperonyl butoxide	0.01				
Acibenzolar-s-methyl	0.01	Demeton-S-methyl	0.01	Heoxyfop-2-ethoxyethyl	0.01	Pirimicarb	0.01				
Aclonifen	0.01	Desmetryn	0.01	HCH, alpha-	0.01	Pirimicarb, desmethyl-	0.01				
Acrinathrin	0.01	Diazinon	0.01	HCH, beta-	0.01	Pirimiphos-ethyl	0.01				
Alachlor	0.01	Dichlobenil	0.02	HCH, delta-	0.01	Pirimiphos-methyl	0.01				
Aldrin	0.01	Dichlofenthion	0.01	Heptachlor	0.01	Procymidone	0.01				
Allethrin	0.02	Dichlorvos	0.01	Heptachlor epoxide, cis-	0.01	Profenofos	0.01				
Ametrin	0.01	Dicloran	0.01	Heptachlor epoxide, trans-	0.01	Profluralin	0.01				
Anthraquinone	0.01	Dicofol, p,p-	0.01	Heptenophos	0.01	Promecarb	0.01				
Azinphos-ethyl	0.01	Dieldrin	0.01	Hexachlorobenzene (HCB)	0.01	Prometryn	0.01				
Azoxystrobin	0.01	Dieldrin (Sum)	0.01	Hexachlorobutadiene	0.01	Propachlor	0.01				
Barban/Chlorbufam/Chlorpropham (as 3-Chloroaniline)	0.05	Diethofencarb	0.01	Hexaconazole	0.01	Propanil	0.01				
Benalaxyl including other mixtures of constituent	0.01	Difenconazole	0.01	Hexazinone	0.01	Propargite	0.02				
Benfluralin	0.01	Diflufenican	0.01	Imazethapyr	0.05	Propazine	0.01				
Benfuracarb	0.01	Dimefipin	0.01	Iodosphenphos	0.01	Propetamphos	0.01				
Bifenazate	0.05	Dimethoate	0.01	Iprobenfos	0.01	Propheam	0.01				
Bifenazate-diazene	0.01	Dimethylaminolusphotoluidide (DMST)	0.02	Iprodione	0.01	Propiconazole (sum of isomers)	0.01				
Bifenoxy	0.01	Dinicazonazole	0.01	Isazofos	0.01	Propoxur	0.01				
Bifenthrin	0.01	Dioxabenzofos	0.01	Isocarbofos	0.01	Propoxycarbazone	0.05				
Biphenyl	0.01	Diphenamid	0.01	Isodrin	0.01	Propyzamide	0.01				
Biterfanol	0.01	Diphenylamine	0.01	Isofenphos	0.01	Prosulfocarb	0.01				
Bromacil	0.02	Disulfoton	0.02	Isofenphos-methyl	0.01	Prothioconazole-desthio	0.01				
Bromocyclen	0.01	Disulfoton-sulfon	0.01	Isofenphos-oxon	0.01	Prothifos	0.01				
Bromophos-ethyl	0.01	Disulfoton-sulfoxide	0.01	Isoprocarb	0.01	Pyraflufen-ethyl	0.01				
Bromophos-methyl	0.01	Dimilimfos	0.01	Isoproturon	0.01	Pyrazophos	0.01				
Bromopropylate	0.01	Diuron/Linuron/Neburon (as 3,4-Dichloroaniline)	0.02	Isoxadifen-ethyl	0.01	Pyridaben	0.01				
Bromuconazole	0.02	Endosulfan sulphate	0.01	Kresoxim-methyl	0.01	Pyridaphenthion	0.01				
Bupirimate	0.01	Endosulfan, alpha-	0.01	Lenacil	0.01	Pyrifenoxy	0.01				
Buprofezin	0.01	Endosulfan, beta-	0.01	Leptophos	0.01	Quinalphos	0.01				
Butralin	0.01	Endrin	0.01	Lindane (gamma-HCH)	0.01	Quinoxifen	0.01				
Cadusafos	0.01	EPN	0.01	Malathion	0.01	Quintozene	0.01				
Carbaryl	0.01	Epoxiconazole	0.01	Mecarbam	0.01	Quinalofop ethyl	0.01				
Carbofuran	0.01	EPTC	0.01	Mepanipyrim	0.01	S 421	0.05				
Carbofuranphenol	0.01	Esfenvralerate	0.01	Mephosfolan	0.02	S-Metolachlor	0.01				
Carbofenonithion	0.01	Etaconazole	0.01	Mepronil	0.01	Silthiofam	0.01				
Carbofenonithion-methyl	0.01	Ethion	0.01	Metazachlor	0.01	Simazine	0.01				
Chinomethionate	0.01	Ethofumesate	0.01	Metabenzthiazuron	0.01	Spiromesifen	0.01				
Chlorbufam	0.01	Ethoprophos	0.01	Methabrotopururon	0.01	Spiroxamine	0.01				
Chlordane (total)	0.01	Ethoxyquin	0.01	Methacrifos	0.01	Sulfotep	0.01				
Chlordane, cis-	0.01	Etofenprox	0.01	Methathion	0.01	Sulphur (S)	0.2				
Chlordane, oxy-	0.01	Etridiazole	0.02	Methoprotyne	0.01	Tebuconazole	0.01				
Chlordane, trans-	0.01	Etrimos	0.01	Methoxychlor	0.01	Tebufenpyrad	0.01				
Chlofenvapry	0.01	Famoxadone	0.01	Methyl Parathion	0.01	Techazene	0.01				
Chlofenvason	0.01	Fenamidol	0.01	Metaboluron	0.01	Tefluthrin	0.01				
Chlofenvinphos	0.01	Fenaziquin	0.01	Metolcarb	0.01	Telodrin	0.01				
Chlofenvinphos cis	0.01	Fenchlorphos	0.01	Metrafenone	0.01	Terbacil	0.01				
Chlofenvinphos trans	0.01	Fenfluthrin	0.01	Metrubuzin	0.01	Terbutemeton	0.01				
Chloridazon	0.05	Fenitrothion	0.01	Mevinphos	0.01	Terbutylazine	0.01				
Chlorobenzilate	0.01	Fenobucarb	0.01	Mirex	0.01	Terbutylazine, desethyl-	0.01				
Chloroneb	0.01	Fenoxycarb	0.05	Molinate	0.01						
Chlorothalonil	0.01	Fenpropidion	0.01	Myclobutanil (sum of constituent isomers)	0.01						
Chlorothalonil	0.01	Fenpropidol	0.005	Napropamide	0.01	Terbutryn	0.01				
Chlorophos	0.01	Fipronil	0.01	Nitrapyrin	0.01	Tetrachlorvinphos	0.01				
Clomazone	0.01	Fipronil (sum)	0.01	Nitrofen	0.01	Tetraconazole	0.01				
Clouquinet-cetyl	0.01	Fipronil-sulfide	0.01	Nitrohal-isopropyl	0.01	Tetradifon	0.01				
Coumaphos	0.01	Fipronil-sulfone	0.005	Norfuralazon	0.01	Tetrahydrophthalimide (THPI)	0.01				
Cyanazine	0.01	Fluazifop-butyl	0.01	Ofurace	0.01	Tetramethrin	0.01				
Cyanofenphos	0.01	Flubenzimine	0.01	Oxadiazon	0.01	Tetrasul	0.01				
Cyanophos	0.01	Fluchloralin	0.01	Oxadixyl	0.01	Tolclofos-methyl	0.01				
Cycloate	0.01	Flucythrinate	0.01	Oxyfluorfen	0.01	Trans-Permethrin	0.01				
Cyfluthrin	0.01	Fludioxonil	0.01	Paraoxon-ethyl	0.01	Transfluthrin	0.01				
Cyhalothrin	0.01	Fluquinconazole	0.01	Paraoxon-methyl	0.01	Triadimenol	0.01				
Cyhalothrin, lambda-(incl.)	0.01	Flurprimidol	0.01	Parathion	0.01	Triallate	0.01				
Cyhalothrin, gamma-)				Penconazole (sum of constituent isomers)	0.01	Triazamate	0.01				
Cypermethrin (sum of isomers)	0.01	Flusilazole	0.01	Permethrin (sum of isomers)	0.01	Tria-zophos	0.01				
Cyphenothrin	0.05	Flutolanil	0.01	Perthane	0.01	Trichloronat	0.01				
Cyproconazole	0.01	Flualinate (sum of isomers)	0.01	Phenkapton	0.01	Triflurostrobין	0.01				

The components belong to DRF-133.

Benfuracarb will be reported as Carbofuran.

Cyhalothrin and Sulphur are analytes and are reported on request.

The reporting limits are indicative and may change depending on the matrix and the circumstances of the analysis.

Analysis2: Quantitative multi pesticide screening LC-MSMS(Pesticide multi method, extraction with acetone, petroleumether and dichloromethane. Adjusted own method (W3301/WVS-040, W3101/WVS-060), LC-MS)

Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg
1-Naphthylacetic acid	0.01	Desmedipham	0.01	Hymexazol	0.1	Propiconazole (sum of isomers)	0.01				
2,4,5-T	0.01	Dicamba	0.05	Imazalil (any ratio of constituent isomers)	0.01	Propoxur	0.01				
2,4,6-Trichlorophenoxyacetic Acid	0.01	Dichlofuanid	0.01	Imazamethabenz-methyl	0.01	Propyzamide	0.01				
2,4-D	0.01	Dichlorphen	0.01	Imazamox	0.01	Proquinazid	0.01				
2,4-DB	0.01	Dichlorprop	0.01	Imazaquin	0.01	Prosulfocarb	0.01				
2-Hydroxybenzothiazol	0.01	Dichlorvos	0.01	Imbifenconazole	0.01	Prosulfuron	0.01				
2-Naphthoxyacetic acid	0.01	Diclobutrazol	0.01	Imidacloprid	0.01	Prothioconazole-desthio	0.01				
3-Hydroxycarbofuran	0.001	Diclofop-methyl	0.01	Indoxacarb (sum, R+S isomers)	0.01	Pyracarbolid	0.01				
3-Ketocarbofuran	0.01	Diclofophos	0.01	Iodosulfuron methyl	0.01	Pyracofos	0.01				
4-Bromophenylurea	0.01	Dietofencarb	0.01	Ioxynil	0.01	Pyraostrobin	0.01				
4-CPA	0.01	Diethyltoluamide	0.01	Iprodione	0.01	Pyrazophos	0.01				
6-Benzyladenine	0.01	Difenconazole	0.01	Iprovalicarb	0.01	Pyrethrin I	0.01				
6-Chlor-3-phenyl/pyridazin-4-ol (Pyridafol)	0.01	Diflubenzuron	0.01	Isocarbofos	0.01	Pyrethrin II	0.01				
Abamectin (Sum)	0.01	Dimethenamid including other mixtures of constituent	0.01	Isoprothiolane	0.01	Pyrethrins	0.01				
Acephate	0.01	Dimethirimol	0.01	Isopyrazam	0.01	Pyridaben	0.01				

Explanatory Note

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code	893-2023-00048970	Report date	15/06/2023	Page	3/4						
Report number	RA-2023-ZV-183217-1										
Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg	Parameter	Q	Reporting limit mg/kg
Acequinocyl	0.01		Dimethoate	0.01		Isouron	0.01		Pyridalyl	0.01	
Acetamiprid	0.01		Dimethomorph	0.01		Isoxaben	0.01		Pyridaphenthion	0.01	
Alanycarb	0.01		Dimethylaminosulphotoluuidide (DMST)	0.01		Isoxafutole	0.01		Pyridate	0.01	
Alidicarb	0.01		Dimethylphenylsulfamide (DMSA)	0.01		Isoxathion	0.01		Pyrifenoxy	0.01	
Alidicarb-sulfone	0.01		Dimoxystrobin	0.01		Jasmolin I	0.01		Pyrimethanil	0.01	
Alidicarb-sulfoxide	0.01		Diconazole	0.01		Jasmolin II	0.01		Pyrimidifen	0.01	
Ametoctradin	0.01		Dinocap	0.01		Kresoxim-methyl	0.01		Pyriproxyfen	0.01	
Amisulbrin	0.01		Dinofeturan	0.01		Lenacil	0.01		Pyroxysulam	0.01	
Anilazine	0.05		Diproetryn	0.01		Linuron	0.01		Quinclorac	0.01	
Asulam	0.01		Dithianon	0.01		Lufenuron	0.01		Quinmerac	0.05	
Atrazin, desisopropyl-	0.05		Diuron	0.01		Malathion	0.01		Quizalofop	0.01	
Atrazine	0.01		DNOC	0.03		Mandipropamid (any ratio of constituent isomers)	0.01		Rimsulfuron	0.01	
Atrazine-desethyl	0.01		Dodemorph	0.01		Matrine	0.5		Rotenone	0.01	
Avermectin B1a	0.01		Dodine	0.01		MCPA	0.01		Safifencil	0.01	
Avermectin B1b	0.01		Emamectin	0.01		MCPB	0.01		Sethoxydim	0.01	
Azaconazole	0.01		Epoxiconazole	0.01		Mecoprop	0.01		Silaflufen	0.01	
Azadirachtin	0.01		Ethifencarb	0.01		Mefenacet	0.01		Simazine	0.01	
Azamethiphos	0.01		Ethifencarb-sulfone	0.01		Mefenpyr-diethyl	0.01		Spinetoram (sum)	0.01	
Azimsulfuron	0.01		Ethifencarb-sulfoxide	0.01		Mepanipyrim	0.01		Spinetoram J	0.01	
Azinphos-methyl	0.01		Ethiprole	0.01		Mephosfolan	0.01		Spinetoram L	0.01	
Aziprotryn	0.05		Ethirimol	0.01		Mepronil	0.01		Spinosad (sum)	0.01	
Azoxystrobin	0.01		Ethoxysulfuron	0.01		Meptyldinocap	0.01		Spinosad A	0.01	
Barban	0.01		Etofenprox	0.01		Mesosulfuron-methyl	0.01		Spinosad D	0.01	
Beflubutamid	0.01		Etoxazole	0.01		Mesotrizone	0.01		Spirocilofen	0.01	
Benomyl			Famophos	0.01		Metaflumizone (sum of E- and Z-isomers)	0.01		Spirotetramat	0.01	
Benoxacor	0.01		Famoxadone	0.01		Metalexyl	0.01		Spirotetramat-enol	0.01	
Bentazone	0.01		Fenamidone	0.01		Metalehyde	0.01		Spirotetramat-enolglucoside	0.05	
Benthivalicarb, isopropyl-	0.01		Fenamiphos	0.01		Metamitron	0.01		Spirotetramat-ketohydroxy	0.01	
Benzalkonium chloride (total) (BAC)	0.01		Fenamiphos-sulfone	0.01		Metconazole	0.02		Spirotetramat-monohydroxy	0.01	
Benzalkoniumchlorid (BAC) Sum	0.01		Fenamiphos-sulfoxide	0.01		Methamidophos	0.01		Spiroxamine	0.01	
Benzovindifluor	0.01		Fenarimol	0.01		Methidathion	0.01		Sulcotrione	0.02	
Benzoximate	0.01		Fenazaquin	0.01		Methiocarb	0.01		Sulfentrazone	0.02	
Benzylidemethyldecylammonium chloride (BAC C12)	0.01		Fenbuconazole (sum of constituent enantiomers)	0.01		Methiocarb-sulfone	0.01		Sulfoxafior	0.01	
Benzylidemethyltetradecylammonium chloride (BAC C14)	0.01		Fenhexamid	0.01		Methiocarb-sulfoxide	0.01		Tebuconazole	0.01	
Biteranol	0.01		Fenoprop	0.01		Methomyl	0.01		Tebufenoziide	0.01	
Bixafen	0.01		Fenoxycarb	0.01		Methoxyfenozide	0.01		Tebufenpyrad	0.01	
Boscalid	0.01		Fenpropidin	0.01		Metobromuron	0.01		Teflubenzuron	0.01	
Bromoxynil	0.01		Fenpropimorph	0.01		Metosulam	0.01		Tembotrione	0.01	
Bromuronazole	0.01		Fenpyrazamine	0.01		Metoxuron	0.01		Tepraloxydim	0.01	
BTS 44595	0.01		Fenpyroximate	0.01		Metsulfuron-methyl	0.02		Terbufos	0.01	
BTS 44596	0.01		Fenthion	0.01		Monocrotophos	0.01		Turbosulfone	0.01	
Bupirimate	0.01		Fenthion-oxon	0.01		Monolinuron	0.01		Turbosulfone-oxide	0.01	
Buprofezin	0.01		Fenthion-oxon-sulfone	0.01		Monuron	0.01		Terbutylazine	0.01	
Butafenacil	0.01		Fenthion-oxon-sulfoxide	0.01		Myclobutanil (sum of constituent isomers)	0.01		Terbutylazine, desethyl-	0.01	
Butocarboxim	0.01		Fenthion-sulfone	0.01		Naled	0.01		Tetraconazole	0.01	
Butocarboxim-sulfoxide	0.01		Fenthion-sulfoxide	0.01		Neburon	0.01		TFNA	0.01	
Butoxycarboxim	0.01		Fenuron	0.01		Nicosulfuron	0.01		TFNG	0.01	
Butron	0.01		Fipronil	0.01		Nitenpyram	0.01		Thiabendazole	0.01	
Carbaryl	0.01		Fipronil (sum)	0.01		Nitralin	0.01		Thiaclorpid	0.01	
Carbendazim	0.01		Fipronil-sulfone	0.01		Novaluron	0.01		Thiamethoxam	0.01	
Carbetamide	0.01		Flazasulfuron	0.01		Nuarimol	0.01		Thidiazuron	0.01	
Carbofuran	0.001		Flonicamid	0.01		Omeithoate	0.01		Thiencarbazone-methyl	0.01	
Carbosulfan	0.01		Flonicamid-TFNA-AM	0.01		Oxadixyl	0.01		Thifensulfuron methyl	0.01	
Carboxin	0.01		Florisulam	0.01		Oxamyl	0.01		Thiobencarb	0.01	
Carfentrazone-ethyl	0.01		Fluazifop	0.01		Oxasulfuron	0.01		Thiodicarb	0.01	
Carpropamid	0.01		Fluazifop-P-butyl	0.01		Oxycarbon	0.01		Thifanox	0.01	
Chloramben	0.1		Fluzasinam	0.01		Oxydemeton-methyl	0.01		Thifanox-sulfone	0.01	
Chlorantraniliprole	0.01		Flubendiamide	0.01		Oxymatrine	0.5		Thifanox-sulfoxide	0.01	
Chlorbromuron	0.01		Fluencycluron	0.01		Pacllobutrazol	0.01		Thiometon	0.01	
Chlordecon	0.01		Flenacet	0.01		Paraoxon-ethyl	0.01		Thiophanate-methyl	0.01	
Chlordimeform	0.01		Flufenoxuron	0.01		Paraoxon-methyl	0.01		Tolclofos-methyl	0.01	
Chloryfluuron	0.01		Flumioxazin	0.01		Pebulate	0.01		Tolfenpyrad	0.01	
Chlorothalonil-4-hydroxy	0.01		Fluopicolide	0.01		Penconazole (sum of constituent isomers)	0.01		Tolyfluanid	0.01	
Chlorotoluron	0.01		Fluopyram	0.01		Pencycuron	0.01		Tralkoxydim	0.01	
Chloroxuron	0.01		Fluotrimazole	0.01		Penflufen	0.01		Triadimenol	0.01	
Chlorthion	0.01		Fluoxastrobin	0.01		Penthiopyrad	0.01		Triadimenol	0.01	
Chlorthiophos	0.01		Flupyradifurone	0.01		Phenisopham	0.01		Triapenthenol	0.01	
Chlorthiophos-sulfone	0.01		Fluprysulfuron-Methyl	0.01		Phenmedipham	0.01		Triazophos	0.01	
Cinerin I	0.01		Fluquinconazole	0.01		Phorate	0.01		Triazoxide	0.01	
Cinerin II	0.01		Fluorochloridone	0.01		Phorate-O-analogue	0.01		Trichlorfon	0.01	
Clethodim	0.01		Fluoxypyrr	0.01		Phorate-oxon-sulfone	0.01		Triclopyr	0.01	
Climbazole	0.01		Fluoxypyrr-Methylheptyl	0.01		Phorate-sulfone	0.01		Tricyclazole	0.01	
Clodinafop	0.01		Flusilazole	0.01		Phorate-sulfoxide	0.01		Tridemorph	0.01	
Clofentezine	0.01		Fluthiacet-methyl	0.01		Phosalone	0.01		Trifloxystrobin	0.01	
Clopyralid	0.5		Flutolanil	0.01		Phosmet-oxon	0.01		Triflumizole	0.01	
Clothianidin	0.01		Flutriafol	0.01		Phosphamidon	0.01		Triflumuron	0.01	
Crimidine	0.01		Fluxapyroxad	0.01		Phoxim	0.01		Triflusulfuron-methyl	0.01	
Cyantraniliprole	0.01		FM-6-1 (metabolite triflumizole)	0.01		Picaridin	0.01		Triforine	0.01	
Cyazofamid	0.01		Foramsulfuron	0.01		Picloram	0.1		Triticonazole	0.01	
Cyclanilide	0.01		Forchlorenuron	0.01		Picolinafen	0.01		Tritosulfuron	0.01	
Cycloxydilim	0.01		Fosmet	0.01		Picoxystrobin	0.01		Uniconazole	0.01	
Cyenopyrafen	0.01		Fosthiazate	0.01		Pinoxaden	0.01		Valifenalate	0.01	
Cyflufenamid	0.01		Furalaxyal	0.01		Piperonyl butoxide	0.01		Varmidothion	0.01	
Cyflumetofen	0.01		Furathiocarb	0.01		Pirimicarb	0.01		Warfarin	0.01	
Cymoxanil	0.01		Gibberellic Acid	0.01		Pirimicarb, desmethyl-	0.01		XMC	0.01	
Cyproconazole	0.01		Halofenoziide	0.01		Prochloraz	0.01		Zoxamide	0.01	
Cyprodinil	0.01		Haloxypot	0.01		Profenofos	0.01				
Cythioate	0.01		Hexaconazole	0.01		Prohexadione Calcium	0.05				
DDAC - Sum -	0.01		Hexaflumuron	0.01		Propamocarb (Sum of propamocarb and its salts, exp)	0.01				
Dialkyldimethylammonium chlorides			Hexythiazox (any ratio of constituent isomers)	0.01		Propaquifosop	0.01				
Demeton-S-methyl-sulfone	0.01										

The components belong to DRF-133.

Benfuracarb will be reported as Carbofuran. Benomyl will be reported as Carbendazim.

The reporting limits are indicative and may change depending on the matrix and the circumstances of the analysis.

Explanatory Note

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.

Sample code
Report number

893-2023-00048970
 RA-2023-ZV-183217-1

Report date

15/06/2023

Page 4/4



Explanatory Note

The symbol (Q) identifies the tests under accreditation EN-ISO/IEC 17025:2017 RvA Testing L201. The results refer to the sampled object, when the sample is taken by Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The results refer only to the examined sample, when the sample is taken by third parties. The standard measurement uncertainty for pesticides is 50%. Details on the measurement uncertainty per component, the methods of analyses, limits of quantification and features of performance are retrievable. Opinions and interpretations are not included within accreditation. Without written permission of Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. it is not allowed to reproduce this report other than in full. The tests identified by the two letters code ZV are performed in laboratory Eurofins Lab Zeeuws-Vlaanderen (LZV) B.V. The data in italics is provided by the customer and may affect the validity of the results.